

Fig. 1




Fig. 2




FIG 3

context server table			
context server name	version	installation date	filename
gps	1	2/10/2000	gps.exe
ips	1	2/21/2000	ips.exe
location_region_analysis	1	2/10/2000	l_r.a.exe

FIG 4

attribute instance table			
attribute name	context server name	value	uncertainty
user.location	gps	47° 38.73' N, 122° 18.43' W	0° .09'
user.location	ips	47° 38.745' N, 122° 18.424' W	0° .021'
user.elevation	ips	22	.5
user.in_region	location_region_analysis	none	none

FIG 5

context client table	
context client name	message handler
location map	(reference)
distance from home	(reference)
region analysis	(reference)

601 ↗ 602 ↗ 603 ↗ 611 ↗ 612 ↗ 613 ↗ 614 ↗ 615 ↗ 616 ↗ 617 ↗

FIG 6

attribute instance table	
attribute name	context server name
value	uncertainty
user.location	gps
value	47° 38.73' N, 122° 18.43' W
uncertainty	0° .09'
timestamp	13:11:04.023
units	degrees/minutes
number of context clients consuming	2
user.location	ips
value	47° 38.745' N, 122° 18.424' W
uncertainty	0° .021'
timestamp	13:11:01.118
units	degrees/minutes
number of context clients consuming	2
user.elevation	ips
value	22
uncertainty	.5
timestamp	13:11:01.118
units	meters
number of context clients consuming	1
user.in_region	location_region_analysis
value	none
uncertainty	none
timestamp	2/22/2000
units	none
number of context clients consuming	1

701 ↗ 702 ↗ 703 ↗ 711 ↗ 712 ↗ 713 ↗ 714 ↗ 715 ↗ 716 ↗ 717 ↗

FIG 7




FIG 8

attribute instance table						
attribute name	context server name	value	uncertainty	timestamp	units	number of context clients consuming
user.location	gps	47° 38'73" N, 122° 18'43" W	0°.09'	13:11:04.023 2/22/2000	degrees	2
user.location	ips	47° 38'74" N, 122° 18'42" W	0°.021'	13:11:01.118 2/22/2000	degrees/minutes	2
user.elevation	ips	22.25	.5	13:11:06.565 2/22/2000	meters	1
user.in_region	region_analysis	none	none	none	none	1

FIG 9

condition table					
condition name	context client name	first logical parameter	second logical parameter	comparison value	logical operator
in_region_true	region_analysis	user.in_region	none	TRUE	=

FIG 10

1100

condition monitor table

condition monitor name	context client name	condition name	behavior	frequency	condition last evaluated	trigger handler reference	condition monitor table stopped
region_boundaries crossed	region_analysis	in_region_true	TRUE or FALSE	30	13:11:29.101 2/22/2000	(reference)	no

1101

FIG 11

1112 1113 1114 1115 1116 1117 1118

1100 condition monitor table

condition monitor name	context client name	condition name	behavior	frequency	condition last evaluated	trigger handler reference	condition monitor table stopped
region_boundaries crossed	region_analysis	in_region_true	TRUE or FALSE	30	13:11:59.101 2/22/2000	(reference)	yes


1101 1112 1113 1114 1115 1116 1117 1118

FIG 12

1100 condition monitor table

TOPIC 20 "Context Server"



✓ 310



✓ 311




✓ 322



✓ 340

✓ 350

F 165 13



✓ 330

attribute request table

	attribute name	context client name
1401 ~	user.location	distance_from_home
1402 ~	user.in_region	location_map
1403 ~	user.location [gps]	location_region_analysis
1404 ~	user.elevation	location_map

Figure 14

1411

1412

User.

- Desired_privacy_level
- Interruptibility
- Speed
- Direction
- Acceleration
- Availability.
 - Cognitive_availability
 - Tactile_availability
 - Manual_availability
 - Visual_availability
 - Oral_availability
 - Auditory_availability
- Proximity.<item or place name>
- Mood.
 - Happiness
 - Sadness
 - Anger
 - Frustration
 - Confusion
- Activity.
 - Driving
 - Eating
 - Running
 - Sleeping
 - Talking
 - Typing
 - Walking
- Location.
 - Place_name
 - Latitude
 - Longitude
 - Altitude
 - Room
 - Floor
 - Building
 - Address
 - Street
 - City
 - County
 - State
 - Country
 - Postal_Code
- Destination. (same as User.Location.)
- Physiology.
 - Pulse
 - Body_temperature
 - Blood_pressure
 - Respiration
- Person.<name or ID>. (same as User.)
- Platform.

UI.

- Oral_input_device_availability
- Manual_input_device_availability
- Tactile_output_device_availability
- Visual_output_device_availability
- Auditory_output_device_availability

Platform. (continued)

- CPU.
 - Load
 - Speed
- Memory.
 - Total_capacity
 - Used
- Storage.
 - Total_capacity
 - Used
- Connectivity.
 - Connection_status
 - Connection_speed
 - Connection_type/device
 - Connection_activity
- Power.
 - Power_source
 - Power_level
- Environment.**
- People.
 - Nearest
 - Number_present
 - Number_close
- Local.
 - Time
 - Date
 - Temperature
 - Pressure
 - Wind_speed
 - Wind_direction
 - Absolute_humidity
 - High_forecast_temperature
 - Low_forecast_temperature
 - People_present
 - Ambient_noise_level
 - Ambient_light_level
- Days.<previous or future>.
 - High_temperature
 - Low_temperature
 - Precipitation_type
 - Precipitation_amount
- Place.<place name>. (same as Environment.Local)
- Application.**
- Mail.
 - Available
 - New_messages_waiting
 - Messages_waiting_to_be_sent
- Phone.
 - Available
 - In_use
 - On/off
 - Notification_mechanism
 - Call_incoming
 - Caller_ID
- Sound_recorder.
 - Available
 - Recording

Fig. 15

TOP SECRET//EYES ONLY

- 1) User Setting
 - a) Mental Context
 - i) Meaning
 - ii) Cognition
 - (1) Divided User Attention
 - (2) Task Switching
 - (3) Background Awareness
 - iii) Solitude
 - iv) Privacy
 - (1) Desired Privacy
 - (2) Perceived Privacy
 - v) Social Context
 - vi) Affect
 - b) Physical Situation
 - i) Body
 - (1) Biometrics
 - (2) Posture
 - (3) Motion
 - (4) Physical Encumbrment
 - (a) Senses
 - (i) Eyes
 - (ii) Ears
 - (iii) Tactile
 - (iv) Hands
 - (v) Nose
 - (vi) Tongue
 - (b) Workload demands/effects
 - (c) Interaction with computer devices
 - (d) Interaction with people
 - (e) Physical Health
 - ii) Environment
 - (1) Time/Space
 - (2) Objects
 - (3) Persons
 - (a) Audience/Privacy Availability
 - (i) Scope of Disclosure
 - (ii) Hardware affinity for privacy
 - (iii) Privacy Indicator for User
 - (iv) Privacy Indicator for Public
 - (v) Watching Indicator
 - (vi) Being Observed Indicator
 - (4) Ambient Interference
 - (a) Visual
 - (b) Audio
 - (c) Tactile
 - 2) Computer
 - a) Power
 - b) Configuration
 - i) User Input Systems
 - (1) Hand/Haptic
 - (a) Keyboard/Keystrokes
 - (2) Voice/Audio
 - (3) Eye Tracking
 - (4) Cursors
 - (a) Axis
 - (b) Resolution
 - (i) Selection
 - (ii) Invocation
 - (c) Accelerators
 - ii) Output Systems
 - (1) Visual
 - (a) Resolution
 - (2) Audio
 - (a) Public/Private
 - (3) Haptic
 - (3) External Resources
 - (1) I/O devices
 - (2) Connectivity
 - c) Data
 - i) Quantity/State
 - ii) Urgency/Importance
 - (1) Use of Prominence
 - iii) Modality
 - iv) Sensitivity/Purpose
 - (1) Privacy Issues
 - (2) Use of Association
 - (3) Use of Safety
 - v) Source/Ownership
 - (1) Types
 - (a) User generated
 - (b) Other computers or people
 - (c) Sensor
 - (d) PC State
 - (2) Use of Association

Fig. 16

Fig. 17





Fig. 18



Dynamically Specify Available
Clients, Servers, & Attributes
Subroutine

1735

Fig. 19




Fig. 20

Process Distributed
CM Message
Subroutine

2005

2012

2016

Receive indication of received message or of user indication

2010

Need security approval?

Yes

No

No

Yes

Satisfied?

No

Yes

Determine if security is satisfied

2014

Send error message

2018

Information from another CM?

No

Yes

Do registration or unregistration requests as CC, or CS, or for one or more attributes?

2071

Rename any attributes if necessary

2070

Registration or unregistration request?

2072

No

Submit request for the other CM as a CC or CS

2020

Rename any attributes if necessary

2014

Send error message

2022

Yes

Do registration or unregistration requests as CC, or CS, or for one or more attributes?

No

Yes

Send attribute value or attribute value request?

No

Yes

Send attribute value or attribute value request?

No

Yes

Fig. 21




Fig 22




Fig. 23





Fig. 24






Fig. 26




Fig. 27




Fig. 28

